


**PNEUMATIC STRAPPING TOOL WITH FRICTION WELD SEAL FOR (PET)
FLAT AND ROUND SURFACES****TECHNICAL DATA / APPLICATIONS :**

Powerfull, compact and easy to use strapping tool to use in heavy duty industrial applications especially with high quality (PET) Polyester strapping.
Available standard in only one strap size: 1"(25 mm)

Strap width	1" (25mm)
Strap thickness	From .031" - .050" (0.8mm-1.27mm)
Max. Tension	Around 900 lbf. (4000n)
Max. Tension speed	19.5' min. (6 mt/min)
Weight	11.5 lbs. / 5.3 Kg
Dimensions	5" H, 10.5" L, 4.5" W
Joint type	Friction Weld Seal
Air pressure and consumption required	From 80 psi - 95 psi (5.5 to 6.5 bar max)
Order code POLI 25 HT	110.250.630
Strap Type	PET
Package Type	Flat - Round 28" minimum diameter (700mm)

- **ERGONOMIC**
- **MODERN DESIGN**
- **COMPACT AND LIGHT**
- **BOSCH PNEUMATIC MOTORS**
- **INSERT BOTH STRAPS TOGETHER**
- **EASY TO REMOVE THE TOOL**



- **SIMPLE PUSH BUTTON ACTIVATION**
- **HIGH TENSION ON STRAP**
- **UPPER AIR CONNECTION CONFIGURATION AVAILABLE UPON REQUEST**

Manufactured by the M.J. Maillis Group

MAILLIS STRAPPING SYSTEMS—USA Inc. 404 Wall Street, Fountain Inn, SC 29644

Phone: 877-962-4648 / Fax: 864-409-0367 / Web: maillisstrapping.com / E-mail: info@maillisstrapping.com

rev. 05/2015

* EASY AND FAST ADJUSTMENTS *

LEVER 1 - TENSION (BLUE):



**HOLD DOWN UNTIL THE
DESIRED TENSION VALUE IS
ACHEIVED**

**LEVER 2 - WELDING AND CUTTING
(RED):**

**PUSH TO START WELDING AND CUTTING
CYCLE**

**LEVER 3 - RELEASE
(BLACK):**

**HOLD DOWN UNTIL THE
STRAP IS RELEASED**

**WELDING TIMER
ADJUSTMENT SCREW**

**TURN THIS SCREW TO ADJUST THE GAP BETWEEN
THE FEEDWHEEL AND LOCK STRAP PLATES**


**TURN THIS SCREW TO ADJUST THE MOTOR
POWER**



MT



HT

**** CONFIGURATIONS UPON REQUEST ****

AN UPPER AIR CONNECTION IS AVAILABLE ON REQUEST THAT IS PARTICULARLY USEFUL WHEN USED WITH SPRING BALANCER — REQUEST THIS OPTION ON THE ORDER





ACCESSORIES

- **FILTER + LUBRICATOR + PRESSURE ADJ GROUP** **ITEM CODE 601.010.830**
- **SPIRAL/COIL AIR HOSE 8" X 11' - 45' (15MT) EXTENDED - W/CONNECTORS** **ITEM CODE 281.218.300**
- **SPRING BALANCER 6-13 Lbs.** **ITEM CODE 605.080.080**

OPTION

- **SUSPENSION BRACKET KIT 3 POSITIONS** **ITEM CODE 291.030.500**



**** TYPICAL APPLICATIONS ******1****I
S
T
R
E
A
P
T****2****T
E
N
S
I
O
N****3****W
C
E
U
L
T
D
I
I
N
G****4****W
A
N
E
I
D
L
E
P
A
U
S
E
H
C****5****O
T
P
O
E
O
N
L

T
H
E**

- * **MECHANICAL INDUSTRIES**
- * **PROFILES, PIPES, EXTRUDES**
- * **PAPER AND CARTON INDUSTRIES**
- * **BRICKS**
- * **WOOD**
- * **STRAPPING FIBER BALES USING PRESS SYSTEM**
- * **FOUNDRY**

**SEAL SAMPLE**